


LIVAL

Retail
Lighting





 **LIVAL**



 **LIVAL**
LIGHTING the WAY


TRACK LIGHTING

GA-16
Standart



 **LIVAL**

Product color



 **LIVAL**





Black



Silver



White



 **LIVAL**






LIVAL






P out	L out	1	2	3	4	P out	L out	1	2	3	4
22W	525mA	-	-	-	-	30W	725mA	ON	-	-	-
23W	550mA	-	-	-	ON	31W	750mA	ON	-	-	ON
24W	575mA	-	-	ON	-	32W	775mA	ON	-	ON	-
25W	600mA	-	-	ON	ON	33W	800mA	ON	-	ON	ON
26W	625mA	-	ON	-	-	33W	825mA*	ON	ON	-	-
27W	650mA	-	ON	-	ON	34W	850mA*	ON	ON	-	ON
28W	675mA	-	ON	ON	-	35W	875mA*	ON	ON	ON	-
29W	700mA	-	ON	ON	ON	36W	900mA*	ON	ON	ON	ON




 **LIVAL**



Spot

Flood

Wild Flood



 **LIVAL**

Color temperature



2700K



 **LIVAL**

Color temperature



4000K




 **LIVAL**


Color temperature



3000K



LIVAL



Meat



Bakery



Fish



CRI

(COLOR RENDERING INDEX)



COMPACT FLUORISCENT
50 CRI




STANDART LED
80 CRI



LUX HIGH CRI
90+ CRI

Retail
Lighting

 **LIVAL**

