A MASTERPIECE MADE INTO A COFFEE MACHINE



FUTURMAT

FUTURMAT F3

A COFFEE MACHINE MADE LEGEND

The new FUTURMAT F3 represents the **balance of the form and functions of the best coffee machine** with a virtuosity that will bring us true bliss at the very moment in which coffee becomes the real protagonist of the performance.

The innovative design of the Futurmat F3, with its smooth lines and aluminium alloy side panels combine with a programmable hot water outlet, filter holders, and ergonomic and non slip tap knobs to capture the essence of your choice coffee blend: smooth, intense and full of emotion to achieve the perfect espresso. In your Futurmat F3 you will discover the instrument that creates the best coffee melodies in the world.



A MASTERPIECE MADE INTO A COFFEE MACHINE



MAXIMUM FEATURES FUTURMAT F3

AUTO STEAM (OPTIONAL)

· Pushbutton for programmable steam with automatic temperature cut-out for perfect milk foam

WATER OUTLET -

- · Automatic one-press button
- · Programmable size and temperature
- · Temperature can be adjusted to between 78 and 98°C

PRESSURE GAUGE

· High precision

2 STEAM TAPS -

· Two stainless steel steam outlets Easy Latte System

TALL CUPS VERSION AVAILABLE

• The two and three group models are available with raised groups for take-away cups

VERSION WITH DISPLAY AVAILABLE
FILTER HOLDER KIT FOR DIFFERENT CAPSULE FORMATS (OPTIONAL)



Intelligent connectivity solution for the control and remote management of the efficiency and productivity in the two and three group electronic machines.



PUSHBUTTONS

- · 4 programmable dose selections and continuous button for each group
- · Chrome pushbuttons with integrated LED
- · Touch-sensitive
- · Heavy-duty

BOILER

· Copper boiler with independent thermosiphon heat exchangers for each group.

FILTER HOLDERS

- · Ergonomic
- · Non-slip

BODYWORK

- · Rust resistant chassis
- · Stainless steel
- · Painted aluminium side panels

FEET

- $\cdot \ \text{Hard-wearing}$
- · Non-slip

THE MODELS FEATURES

- Touch-sensitive and heavy-duty pushbuttons. Choice of one or two regular, or half-cups, at the touch of the button (the same pushbuttons are used to programme the machine).
- The two high-powered stainless steel steam arms rotate to deliver an easily controlled steam supply for making quality cappuccinos.
- The Futurmat F3 group head is engineered from high-quality materials that withstand high temperatures and water pressure. It allows you to produce the best possible espresso time after time.
- Hot water outlet for teas.

 The water amount can be electronically programmed so the desired amount is obtained at the touch of a button.
- Automatic boiler pressure adjustment. The pressure gauge measures the boiler and pump pressure.
- All of the machine's metal elements are easy to clean and are made from the highest quality, heavy-duty stainless steel.
 The painted zones have a two-coat protective metallic paint treatment.
- Pushbutton for programmable steam with automatic temperature cut-out for perfect milk foam.
- Filter holder kit for different capsule formats (optional).





DISPLAY DIGITAL

- Electronically controlled boiler water temperature, adjustable via the display with an accuracy of ± 0.2°C
- Digital coffee servings counter.
- Automatic group cleaning cycle.
- Programmable Digital Clock. Automatic start/stop system, programmable for each day of the week.
- Energy saving system that turns the machine off if it is left on all night.

- Memorisation of the machine's ON/OFF status if the power supply is disrupted, returning to the same status when the service is restored.
- Digitised machine performance record.
- Notification when the water softener needs to be regenerated depending on water consumption.
- Text and messages in 9 languages
- Digital display can be programmed to include advertising text
- Boiler level security control









out 3 Model 3 divort 3

MODEL 3 Di

TECHNICAL DATA	ELECTRONIC		DISPLAY	
TECHNICAL CHARACTERISTICS	2 GROUP	3 GROUPS	2 GROUPS	3 GROUPS
Dimensions (Height x Width x Depth)	54 x 77 x 57 cm	54 x 94 x 57 cm	54 x 77 x 57 cm	54 x 94 x 57 cm
Weight	63 Kg	76 Kg	63 Kg	76 Kg
Colours	4 • • •	4 • • •	4 • • •	4 • • •
Boiler capacity	13 l	18 l	13 l	18 l
ELECTRICAL DATA				
Voltage	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Total absorbed power	3700 W	4800 W	3700 W	4800 W





Capture the Essence

QUALITY ESPRESSO S.A.U. Motores, 1-9, 08040 Barcelona, Spain

Tel.: 93 223 12 00 - Tel. Export: +34 933 946 305 - info@qualityespresso.net

www.qualityespresso.net

Quality Espresso offers products approved by independent laboratories and backed by 60 years of experience.

The activities and systems of Quality Espresso comply with standard ISO 9001:15

In the interest of continuous development, the manufacturer reserves the right to modify the characteristics of the machines shown in this brochure without prior notice.