

Mounting carrier; 221 Series - 4 mm<sup>2</sup>; for DIN-35 rail mounting/screw

mounting; orange



www.wago.com/221-500





# Data Physical data

Width	17.5 mm / 0.689 inch
Height	77.6 mm / 3.055 inch
Depth from upper edge of DIN-rail	25.5 mm / 1.004 inch

## Mechanical data

Mounting type	DIN-35 rail
	Screw mount
Suitable	for 2-, 3- and 5-conductor 221 Series Splicing Connectors (4 mm²)

#### Material data

Note on material data	Information on material data can be found here
Color	orange
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Weight	9.6 g

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/221-500



### Commercial data

PU (SPU)	50 (10) Stück
Packaging type	box
Country of origin	CN
GTIN	4055143421942
Customs tariff number	39269097900

## **Optional accessories**

## Marking accessories

Marking strip



Item no.: 210-833

Marking strips; 25 m on roll; 6 mm wide; plain; Self-adhesive; white

www.wago.com/210-833

## Mounting adapter

### Mounting accessories



Item no.: 222-505

Strain relief plate; for mounting carrier; 221 or 222 Series, can be snapped

www.wago.com/222-505



Item no.: 222-510

Angled DIN-rail adapter; in combination with mounting carrier; 221-500 or 222-500; for DIN-35 rail mounting; gray

www.wago.com/222-510

# Downloads Documentation

### **Bid Text**

221-500 X81 - Datei	19-Feb-2019	xml 2.8 kB	Download
221-500 docx - Datei	23-Jan-2019	docx 14.9 kB	Download
ausschreiben.de 221-500		URL	Download
Additional Information			
Technical explanations		pdf 2.2 MB	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/221-500



### CAD/CAE-Data

**CAD** data

2D/3D Models 221-500	URL	Download
CAE data		

EPLAN Data Portal 221-500	URL	Download
ZUKEN Portal 221-500	URL	Download


## **Environmental Product Compliance**

Compliance Search

URL **Environmental Product Compliance 221-500** Download Mounting carrier; 221 Series - 4 mm<sup>2</sup>; for DIN-35 rail mounting/screw mounting; orange

### **Installation Notes**

### Conductor termination



CAGE CLAMP® connection:

fitted in a mounting carrier

Conductor termination with connectors



Removing a conductor.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/221-500



Inserting a connector into the mounting carrier.	Inserting a connector into the mounting carrier.	Removing a connector from the mounting carrier.
Securing a strain relief plate (222-505) to the mounting carrier.	Snapping the angled DIN-rail adapter (222-510) onto the mounting carrier.	Horizontal mounting on DIN-35 rail using an angled DIN-rail adapter
Horizontal mounting on DIN-35 rail using an angled DIN-rail adapter	Horizontal screw mounting with strain relief plate on a flat surface	Vertical mounting with strain relief plate on DIN-35 rail
Subject to changes. Please also observe the fu		

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/221-500



Strain relief via cable ties on the mounting carrier (transverse to the connectors' wiring direction) – clamping units labeled via marking strips (210-334)

Vertical screw mounting with strain relief plate on a flat surface

Mounting carrier on a DIN-35 rail

### Testing



Testing connectors via test slots on top of the carrier.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.